

Ротаторы. Серия GV 3. Технические характеристики.

По вопросам продаж и поддержки обращайтесь: itd@nt-rt.ru

www.indexator.nt-rt.ru

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62

Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64

Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Казахстан (7273)495-231

Киргизия (996)312-96-26-47

Таджикистан (992)427-82-92-69



Rotator GV 3/30 K

Technical data

Part No.	5002284	
Type of rotator	Grapple rotator	
Weight	23.8 kg	
Rotation	360	
Max axial load, static	30 kN ¹	
Max axial load, dynamic	12.5 kN	
Torque at 25 Mpa	950 Nm	
Rotation max oilflow	10 l/min	
Rotation max working pressure	25 MPa	
Grapple open max working pressure	20 MPa ²	
Grapple close max working pressure	30 MPa	

Interface

Upper interface	75 mm
Lower interface	140 mm x 140 mm



¹ 40 kN when mounted to a piece goods crane.

² 25 MPa when mounted to a piece goods crane.

K = 140140 mm lower hole pattern.

Adapter sets are available for alternative connections.

We reserve the right to make product changes.





Rotator GV 3 -49,5/25 P

Technical data

Part No.	5002300	
Type of rotator	Grapple rotator	
Weight	17.4 kg	
Rotation	360	
Max axial load, static	30 kN ¹	
Max axial load, dynamic	12.5 kN	
Torque at 25 Mpa	950 Nm	
Rotation max oilflow	10 l/min	
Rotation max working pressure	25 MPa	
Grapple open max working pressure	20 MPa ²	
Grapple close max working pressure	30 MPa	

Interface

Upper interface	75 mm
Lower interface	Ø 49,5 mm




¹ 40 kN when mounted to a piece goods crane.

² 25 MPa when mounted to a piece goods crane.

Rotator where the connections and tap hole through the shaft are parallel.

Adapter sets are available for alternative connections.

We reserve the right to make product changes.



GV 3 -49,5/25 P

A	75 mm
B	Ø25 mm
M	152 mm
O	243 mm
P	Ø49,5 mm
Q	Ø25 mm
U	268 mm
V	178 mm

Connections

Upper connection	G 3/8
Lower connection	G 3/8



Rotator GV 3 -49,5/30

Technical data

Part No.	5002330
Type of rotator	Grapple rotator
Weight	17.3 kg
Rotation	360 degrees
Max axial load, static	30 kN ¹
Max axial load, dynamic	12.5 kN
Torque at 25 Mpa	950 Nm
Rotation max oilflow	10 l/min
Rotation max working pressure	25 MPa
Grapple open max working pressure	20 MPa ²
Grapple close max working pressure	30 MPa

Interface


Upper interface	75 mm
Lower interface	Ø 49,5 mm

¹ 40 kN when mounted to a piece goods crane.

² 25 MPa when mounted to a piece goods crane.

Adapter sets are available for alternative connections.

We reserve the right to make product changes.





GV 3 -49,5/30

A	75 mm
B	Ø25 mm
M	152 mm
O	251 mm
P	Ø49,5 mm
S	Ø30 mm
U	278 mm
V	178 mm

Connections

Upper connection	G 3/8
Lower connection	G 3/8





Rotator GV 3 I

Technical data

Part No.	5002326	
Type of rotator	Grapple rotator	
Weight	22.8 kg	
Rotation	360 degrees	
Max axial load, static	30 kN ¹	
Max axial load, dynamic	12.5 kN	
Torque at 25 Mpa	950 Nm	
Rotation max oilflow	10 l/min	
Rotation max working pressure	25 MPa	
Grapple open max working pressure	20 MPa ²	
Grapple close max working pressure	30 MPa	

Interface


Upper interface	75 mm
Lower interface	Ø 173 mm

¹ 40 kN when mounted to a piece goods crane.

² 25 MPa when mounted to a piece goods crane.

Adapter sets are available for alternative connections.

We reserve the right to make product changes.





GV 3 I

A	75 mm
B	Ø25 mm
C	Ø173 mm
D	Ø17 mm
F	46 mm
H	237 mm
K	28 mm
L	Ø210 mm
M	152 mm
T	30°

Connections

Upper connection	G 3/8
Lower connection	G 1/4





Rotator GV 3 K

Technical data

Part No.	5002327	
Type of rotator	Grapple rotator	
	Weight	23.8 kg
	Rotation	360 degrees
	Max axial load, static	30 kN ¹
	Max axial load, dynamic	12.5 kN
	Torque at 25 Mpa	950 Nm
	Rotation max oilflow	10 l/min
	Rotation max working pressure	25 MPa
	Grapple open max working pressure	20 MPa ²
	Grapple close max working pressure	30 MPa

Interface

Upper interface	75 mm
Lower interface	140 mm x 140 mm


¹ 40 kN when mounted to a piece goods crane.

² 25 MPa when mounted to a piece goods crane.

K = 140140 mm lower hole pattern.

Adapter sets are available for alternative connections.

We reserve the right to make product changes.





GV 3 K

A	75 mm
B	Ø25 mm
C	140x140
D	Ø17 mm
F	48 mm
H	237 mm
K	28 mm
L	Ø232 mm
M	152 mm

Connections

Upper connection	G 3/8
Lower connection	G 1/4



По вопросам продаж и поддержки обращайтесь: itd@nt-rt.ru

www.indexator.nt-rt.ru

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62

Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81 Магнитогорск
(3519)55-03-13 Москва
(495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73 Омск
(3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64

Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54 Сочи
(862)225-72-31 Ставрополь
(8652)20-65-13 Сургут
(3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59 Уфа
(347)229-48-12 Хабаровск
(4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Казахстан (7273)495-231

Киргизия (996)312-96-26-47

Таджикистан (992)427-82-92-69