

## Весовые подвески без тормоза. Технические характеристики.

По вопросам продаж и поддержки обращайтесь: [itd@nt-rt.ru](mailto:itd@nt-rt.ru)

[www.indexator.nt-rt.ru](http://www.indexator.nt-rt.ru)

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62

Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64

Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Казахстан (7273)495-231

Киргизия (996)312-96-26-47

Таджикистан (992)427-82-92-69



## Weighing link S-80 3T RA

### Technical data


|                               |         |
|-------------------------------|---------|
| <b>Part No.</b>               | 5170002 |
| <b>Upper interface</b>        | 80 mm   |
| <b>Lower interface</b>        | 100 mm  |
| <b>Weight</b>                 | 34.5 kg |
| <b>Max axial load, static</b> | 30 kN   |
| <b>Max side load</b>          | 15 kN   |
| <b>Max pull load</b>          | 30 kN   |
| <b>Max rotator size</b>       | GV 125  |


### Bushing

| Diameter, upper bushing (C) | Bronze      | ManganBronze | Composite   |
|-----------------------------|-------------|--------------|-------------|
| Ø45 mm                      | 2 x 1003193 | 2 x 5006672  | -           |
| Ø40 mm                      | -           | 2 x 5006685  | 1 x 5002401 |
| Ø35 mm                      | -           | 2 x 5006687  | 1 x 5002402 |
| Ø30 mm                      | -           | -            | 1 x 5002403 |
| Ø25 mm                      | -           | -            | 1 x 5002404 |

RA = suitable designed for wireless transmission.

We reserve the right to make product changes.





#### Weighing link S-80 3T RA

|   |           |
|---|-----------|
| A | 100 mm    |
| B | Ø45 mm    |
| C | See table |
| G | 80 mm     |
| H | 313 mm    |



# Weighing link S-100 5T

## Technical data



|                        |         |
|------------------------|---------|
| Part No.               | 5016465 |
| Upper interface        | 100 mm  |
| Lower interface        | 100 mm  |
| Weight                 | 39.5 kg |
| Max axial load, static | 50 kN   |
| Max side load          | 15 kN   |
| Max pull load          | 30 kN   |
| Max rotator size       | GV 125  |

## Bushing

| Diameter, upper bushing (C) | Steel       | Bronze      | ManganBronze | Composite   |
|-----------------------------|-------------|-------------|--------------|-------------|
| Ø45 mm                      | 2 x 1002302 | 2 x 1005503 | 2 x 5006683  | -           |
| Ø40 mm                      | 2 x 5002467 | -           | -            | 2 x 5002414 |

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.



Weighing link S-100 5T

|   |           |
|---|-----------|
| A | 100 mm    |
| B | Ø45 mm    |
| C | See table |
| G | 100 mm    |



# Weighing link 80-80 5T

## Technical data



|                  |                        |       |  |
|------------------|------------------------|-------|--|
| Part No.         | 5016466                |       |  |
| Upper interface  | 80 mm                  |       |  |
| Lower interface  | 80 mm                  |       |  |
|                  | Weight                 | 35 kg |  |
|                  | Max axial load, static | 50 kN |  |
|                  | Max side load          | 15 kN |  |
|                  | Max pull load          | 30 kN |  |
| Max rotator size | GV 12                  |       |  |

## Bushing

| Diameter, upper bushing (C) | Steel          | Bronze         | ManganBronze | Composite      |
|-----------------------------|----------------|----------------|--------------|----------------|
| Ø45 mm                      | 2 x<br>1002294 | 2 x<br>1003193 | 2 x 5006672  | -              |
| Ø40 mm                      | 2 x<br>5002468 | -              | 2 x 5006685  | 1 x<br>5002401 |
| Ø35 mm                      | -              | -              | 2 x 5006687  | 1 x<br>5002402 |
| Ø30 mm                      | -              | -              | -            | 1 x<br>5002403 |
| Ø25 mm                      | -              | -              | -            | 1 x<br>5002404 |

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.



Weighing link 80-80 5T

|   |           |
|---|-----------|
| A | 80 mm     |
| B | Ø35 mm    |
| C | See table |
| G | 80 mm     |



## Weighing link 80-80 3T RA

### Technical data

|                  |                        |       |
|------------------|------------------------|-------|
| Part No.         | 5060007                |       |
| Upper interface  | 80 mm                  |       |
| Lower interface  | 80 mm                  |       |
|                  | Weight                 | 30 kg |
|                  | Max axial load, static | 30 kN |
|                  | Max side load          | 15 kN |
|                  | Max pull load          | 30 kN |
| Max rotator size | GV 12                  |       |


### Bushing

| Diameter, upper bushing (C) | Steel          | Bronze        | ManganBronze | Composite      |
|-----------------------------|----------------|---------------|--------------|----------------|
| Ø45 mm                      | 2 x<br>1002302 | 2 x<br>105503 | 2 x 5006683  | -              |
| Ø40 mm                      | -              | -             | 2 x 5002467  | 2 x<br>5002414 |

RA = suitable designed for wireless transmission.

We reserve the right to make product changes.





Weighing link 80-80 3T RA

|   |                     |
|---|---------------------|
| A | 80 mm               |
| B | $\varnothing 35$ mm |
| C | See table           |
| G | 80 mm               |
| H | 303 mm              |



# Weighing link 80-80 3T

## Technical data



|                  |                        |       |  |
|------------------|------------------------|-------|--|
| Part No.         | 5016428                |       |  |
| Upper interface  | 80 mm                  |       |  |
| Lower interface  | 80 mm                  |       |  |
|                  | Weight                 | 30 kg |  |
|                  | Max axial load, static | 30 kN |  |
|                  | Max side load          | 15 kN |  |
|                  | Max pull load          | 30 kN |  |
| Max rotator size | GV 12                  |       |  |

## Bushing

| Diameter, upper bushing (C) | Steel          | Bronze         | ManganBronze | Composite      |
|-----------------------------|----------------|----------------|--------------|----------------|
| Ø45 mm                      | 2 x<br>1002294 | 2 x<br>1003193 | 2 x 5006672  | -              |
| Ø40 mm                      | 2 x<br>5002468 | -              | 2 x 5006685  | 1 x<br>5002401 |
| Ø35 mm                      | -              | -              | 2 x 5006687  | 1 x<br>5002402 |
| Ø30 mm                      | -              | -              | -            | 1 x<br>5002403 |
| Ø25 mm                      | -              | -              | -            | 1 x<br>5002404 |

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.



#### Weighing link 80-80 3T

|   |           |
|---|-----------|
| A | 80 mm     |
| B | Ø35 mm    |
| C | See table |
| G | 80 mm     |

По вопросам продаж и поддержки обращайтесь: [itd@nt-rt.ru](mailto:itd@nt-rt.ru)

[www.indexator.nt-rt.ru](http://www.indexator.nt-rt.ru)

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62

Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81 Магнитогорск  
(3519)55-03-13 Москва  
(495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73 Омск  
(3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64

Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54 Сочи  
(862)225-72-31 Ставрополь  
(8652)20-65-13 Сургут  
(3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59 Уфа  
(347)229-48-12 Хабаровск  
(4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Казахстан (7273)495-231

Киргизия (996)312-96-26-47

Таджикистан (992)427-82-92-69