

Весовые подвески с тормозом. Технические характеристики.

По вопросам продаж и поддержки обращайтесь: itd@nt-rt.ru

www.indexator.nt-rt.ru

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62

Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64

Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Казахстан (7273)495-231

Киргизия (996)312-96-26-47

Таджикистан (992)427-82-92-69



Weighing link SVD S-100 5T

Technical data


Part No.	5016775		
Brake against rotator	Disc brake		
Upper interface	100 mm		
Lower interface	100 mm		
	Weight	41.5 kg	
	Max axial load, static	50 kN	
	Max side load	15 kN	
	Max pull load	30 kN	
Max rotator size	GV 12S		


Bushing

Diameter, upper bushing (C)	Steel	Bronze	ManganBronze	Composite
Ø45 mm	2 x 1002302	2 x 1005503	2 x 5006683	-
Ø40 mm	2 x 5002467	-	-	2 x 5002414

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.





Weighing link SVD S-100 5T

A	100 mm
B	Ø45 mm
C	See table
G	100 mm
H	400 mm



Weighing link SVD 80-80 5T

Technical data



Part No.	5016776
Brake against rotator	Disc brake
Upper interface	80 mm
Lower interface	80 mm
Weight	36.5 kg
Max axial load, static	50 kN
Max side load	15 kN
Max pull load	30 kN
Max rotator size	GV 12

Bushing

Diameter, upper bushing (C)	Steel	Bronze	ManganBronze	Composite
Ø45 mm	2 x 1002294	2 x 1003193	2 x 5006672	-
Ø40 mm	2 x 5002468	-	2 x 5006685	1 x 5002401
Ø35 mm	-	-	2 x 5006687	1 x 5002402
Ø30 mm	-	-	-	1 x 5002403
Ø25 mm	-	-	-	1 x 5002404

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.



Weighing link SVD 80-80 5T

A	80 mm
B	Ø35 mm
C	See table
G	80 mm



Weighing link MPB1-80 5T

Technical data




Part No.	5016585	
Brake against rotator	MPB1	
Upper interface	80 mm	
Lower interface	MPB1 144 mm	
	Weight	47 kg
	Max axial load, static	50 kN
	Max side load	15 kN
	Max pull load	30 kN
Max rotator size	G 121	

Bushing

Diameter, upper bushing (C)	Steel	Bronze	ManganBronze	Composite
Ø45 mm	2 x 1002294	2 x 1003193	2 x 5006672	-
Ø40 mm	2 x 5002468	-	2 x 5006685	1 x 5002401
Ø35 mm	-	-	2 x 5006687	1 x 5002402
Ø30 mm	-	-	-	1 x 5002403
Ø25 mm	-	-	-	1 x 5002404

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.



Weighing link MPB1-80 5T

A MPB1

B MPB

C See table

G 80 mm



Weighing link MPB1-100 5T

Technical data



Part No.	5016580	
Brake against rotator	MPB1	
Upper interface	100 mm	
Lower interface	MPB1 144 mm	
	Weight	48 kg
	Max axial load, static	50 kN
	Max side load	15 kN
	Max pull load	30 kN
Max rotator size	G 121	

Bushing

Diameter, upper bushing (C)	Steel	Bronze	ManganBronze	Composite
Ø45 mm	2 x 1002302	2 x 1005503	2 x 5006683	-
Ø40 mm	2 x 5002467	-	-	2 x 5002414

The product is supplied with a pin and bushing in the lower position. The product is supplemented with a bushing in the upper position according to the table.

We reserve the right to make product changes.



Weighing link MPB1-100 5T

A	MPB1
B	MPB
C	See table
G	100 mm

По вопросам продаж и поддержки обращайтесь: itd@nt-rt.ru

www.indexator.nt-rt.ru

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62

Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81 Магнитогорск
(3519)55-03-13 Москва
(495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73 Омск
(3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64

Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54 Сочи
(862)225-72-31 Ставрополь
(8652)20-65-13 Сургут
(3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59 Уфа
(347)229-48-12 Хабаровск
(4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Казахстан (7273)495-231

Киргизия (996)312-96-26-47

Таджикистан (992)427-82-92-69